

FANDELI®



 **AUTOMOTIVE
REFINISHING**

EVERY GRADE IS **PROFESSIONAL GRADE**



LEADERSHIP AND EXCELLENCE IN COATED ABRASIVE MANUFACTURING



2021
CATALOG



OFFERING AN EXTENSIVE LINE OF PRODUCTS

CONTENT

SELECTION BY OPERATION

COLLISION & REPAIR

L-21 SURFACE CONDITIONING DISCS	06
Y-88 / R-88 QUICK CHANGE DISCS	07
S-18 QUICK CHANGE DISCS	08
S-20 QUICK CHANGE DISCS	09
G-18 RESIN FIBER DISCS	10
G-88 RESIN FIBER DISCS	11
X088 CLOTH DISCS	12
R013 KWIK-GRIP CLOTH DISCS	14
R013 BODY FILES	15
PT87 SHEETS	16
DR-601 HIGH PERFORMANCE STRIP & KLEEN	17
L-92 STRIP & KLEEN	18
PHENOLIC COOLING DISCS	19
QUICK CHANGE DISC HOLDERS	20
SANDING TOOLS	20
FIBER DISCS BACK UP PAD	21

01

SURFACE PREPARATION

E080 KWIK-GRIP DISCS	24
A080 GOLD PSA DISCS	25
A080 PSA DISC ROLLS	27
A080 KWIK-GRIP DISCS	29
B080 SPEEDKUT® DISCS	31
B080 SPEEDKUT® BODY FILES	32
LC81 MESH DISCS	33
CC26 CERAMIC DISCS	34
PC26 FILM DISCS	35
A080 GOLD SHEETS	36
B080 SPEEDKUT® SHEETS	37
A-99 / C-99 WATERPROOF SHEETS	38
NON-WOVEN HAND PADS	39
ULTRAFLEXIBLE SANDING SPONGE	40
INTERFACE SANDING PAD	41
HAND PAD	41
KWIK-GRIP INTERFACE PAD	42
RUBBER BACK UP PAD	42
KWIK-GRIP / PSA BACK UP PAD	43
PROFESSIONAL MASKING TAPE	44

02


FINISHING SOLUTIONS

LE88 SUPREME FOAM	48
WOOL PAD	49
FOAM APPLICATOR	49
B-99 PLUS MICROFINE SHEETS	50

03




FANDELI COATED ABRASIVES



Leading manufacturer in the coated abrasives industry

We have Distribution Centers in Mexico, USA (Houston) and Ecuador, supported by an extensive logistics department committed to ensure our products are always available in our centralized warehouse for large scale industrial purchase orders. Our network covers Mexico, USA, Canada and China, as well as several countries in Central and South America.



Mission

Provide efficient and effective solutions for abrasive processes such as grinding, sanding and finishing.

Vision

Be the best option in abrasive products for the global market in terms of product diversity, high service level and an optimal cost-benefit balance for our customers and end users.

Values

Our people, social image, integrity, commitment, respect, leadership, teamwork, reliability and customer focus.

Coated Abrasives full line availability



SHEETS

The majority of abrasive sheets are cut to the standard size of 9"×11" and come in paper or cloth backing, which is selected according to the severity of the sanding operation. Sheets are used by hand or with oscillating sanders.



DISCS

A full range of Aluminum Oxide, Silicon Carbide, Zirconia and Ceramic discs available with PSA or a Kwik-Grip backing. For dry or wet sanding applications. Some have an anti-clogging coating for longevity. Discs are available in 5", 6" & 8", with or without vacuum holes.



ROLLS

This is continuous material that comes in different widths from 3/8" up to 54" in. length from 10 yds. to 500 yds. Rolls are used by hand, in-line, or on drum sanders along with other industrial machines.



BELTS

Belts are abrasive sections, joined at an angle. They come in widths from 1/4" up to 132" wide and in lengths from 8" up to 13 yds. Belts are used by stationary and portable machines for a multitude of industries such as metal, cabinet shops, glass or DIY applications.



SPECIALITIES

Abrasive products with very specific designs and shapes, such as: abrasive stars, spiral bands, anti-slip strips, cones, cartridges, flap wheels, abrasive strips and quick change discs.




Collision. & Repair

01

PRODUCT SELECTION GUIDE

FANDELI has many solutions among all abrasive products. To help professional users select the most suitable product for the job, we have included a diagram pyramid, ranking products by category.



L-21 SURFACE CONDITIONING DISCS



- Description**
- Aluminum Oxide Surface Conditioning Disc.
 - Suitable for cleaning layers of paint and rust without damaging surface substrate.
 - Doesn't change part geometry.

Material Nylon fiber coated with abrasive grits.

Mineral Aluminum Oxide.

Grit Coarse, Medium, Fine.


Coating Open.

Shape DISCS


Ideal for METAL LACQUERS AND PAINT NON FERROUS METAL

Applications DUAL ACTION ORBITAL SANDER BACK UP PAD

Part #	Description	Available sizes	Inner Qty	Master case
35807	FINE	2" NON-WOVEN	50	500
35806	MEDIUM	2" NON-WOVEN	50	500
35805	COARSE	2" NON-WOVEN	50	500
35810	FINE	3" NON-WOVEN	50	250
35809	MEDIUM	3" NON-WOVEN	25	250
35808	COARSE	3" NON-WOVEN	25	250



QUICK CHANGE DISCS



Y-88 / R-88 QUICK CHANGE DISCS



- Description**
- Two convenient sizes for difficult-to-reach grinding operations.
 - Tough poly-cotton backing and resin bonding.
 - Plastic Button.
 - Packaging designed for easy handling.

Backing 2-PLY Laminated.

Mineral Premium Aluminum Oxide.

Grit FEPA: P024 to P120.


Coating Closed.

Shape DISCS

Ideal for METAL NON FERROUS METAL



Applications ANGLE GRINDER

Part #	Grit	Available sizes	Inner Qty	Master case
32867	P024	2"	25	250
32866	P036	2"	25	250
32865	P040	2"	25	250
32864	P050	2"	25	250
32863	P060	2"	25	250
32862	P080	2"	25	250
32861	P100	2"	25	250
32860	P120	2"	25	250
32887	P024	3"	50	500
32886	P036	3"	50	500
32885	P040	3"	50	500
32884	P050	3"	50	500
32883	P060	3"	50	500
32882	P080	3"	50	500
32881	P100	3"	50	500
32880	P120	3"	50	500



Quick Change / Plastic Button

S-18 QUICK CHANGE DISCS



- Description**
- Unique grain bonding for extreme edge wear resistance.
 - Use in operations where flexibility and durability are required.
 - Two sizes that fit body shop needs.

Backing Firm polyester backing.

Mineral Aluminum Oxide.

Grit Zirconia Alumina.

Coating Closed.

Shape



Ideal for



Applications



Part #	Grit	Available sizes	Inner Qty	Master case
32823	024	2"	25	250
32822	036	2"	25	250
32821	050	2"	25	250
32826	024	3"	25	250
32825	036	3"	25	250
32824	050	3"	25	250

Quick Change / Plastic Button

S-20 QUICK CHANGE DISCS



- Description**
- Ceramic abrasive mineral.
 - 2 Ply cloth backing.
 - Ideal for weld blending.
 - For use in hard-to-reach and flat areas.

Backing Polyester-satin fabric.

Mineral Ceramic Aluminum Oxide.

Grit ANSI: 036 to 120.

Coating Closed.

Shape



Ideal for





Applications



Part #	Grit	Available sizes	Inner Qty	Master case
77771	036	2"	100	500
77772	050	2"	100	500
09023	060	2"	100	500
09027	080	2"	100	500
73973	120	2"	100	500
74293	036	3"	50	500
70710	080	3"	50	500
27912	060	3"	50	500
70711	120	3"	50	500

Quick Change / Plastic Button



G-18 RESIN FIBER DISCS




- Description**
- Grinding of hardened alloyed and stainless steel.
 - Removal of spot welds, preferable under high grinding pressures.
 - For heavy and intermediate grinding.
 - Ideal for heavy duty works in industry and in the maintenance shop.

Backing	Vulcanized fiber of high resistance of 0.030".
Mineral	Zirconia Alumina.
Grit	ANSI: 024, 036, 050 to 080.
Coating	Closed.
Shape	DISCS

Ideal for	METAL	LACQUERS AND PAINT	NON FERROUS METAL
------------------	-------	--------------------	-------------------

Applications	FIBER BACKING	USE SAFETY EQUIPMENT	ANGLE GRINDER	PLASTIC BACKING
---------------------	---------------	----------------------	---------------	-----------------

Part #	Grit	Diameter x mounting hole	Inner Qty	Master case
19854	024	4 1/2" x 7/8"	25	100
01960	036	4 1/2" x 7/8"	25	100
77773	050	4 1/2" x 7/8"	25	100
14290	060	4 1/2" x 7/8"	25	100
10446	080	4 1/2" x 7/8"	25	100
32776	024	5" x 7/8"	25	100
32775	036	5" x 7/8"	25	100
32774	050	5" x 7/8"	25	100
32772	080	5" x 7/8"	25	100
32781	024	7" x 7/8"	25	100
32780	036	7" x 7/8"	25	100
32779	050	7" x 7/8"	25	100
32778	060	7" x 7/8"	25	100
32777	080	7" x 7/8"	25	100



G-88 RESIN FIBER DISCS



- Description**
- For metal sanding operations where heavy polishing and aggressive cutting is required, plus increased strength and high heat resistance.
 - Fiber Backing.
 - High resistance and flexibility.
 - Open structure prevents clogging.

Backing	High-strength vulcanized fiber.
Mineral	Premium Aluminum Oxide.
Grit	ANSI: 016, 024, 036, 050 to 120.
Coating	Closed.
Shape	DISCS

Ideal for	METAL	NON FERROUS METAL
------------------	-------	-------------------

Applications	FIBER BACKING	USE SAFETY EQUIPMENT	ANGLE GRINDER	PLASTIC BACKING
---------------------	---------------	----------------------	---------------	-----------------

Part #	Grit	Diameter x mounting hole	Inner Qty	Master case
32755	016	5" x 7/8"	4	25
32754	024	5" x 7/8"	4	25
32753	036	5" x 7/8"	4	25
32752	050	5" x 7/8"	4	25
32751	060	5" x 7/8"	4	25
32750	080	5" x 7/8"	4	25
32749	100	5" x 7/8"	4	25
32748	120	5" x 7/8"	4	25
32763	016	7" x 7/8"	4	25
32762	024	7" x 7/8"	4	25
32761	036	7" x 7/8"	4	25
32760	050	7" x 7/8"	4	25
32759	060	7" x 7/8"	4	25
32758	080	7" x 7/8"	4	25
32757	100	7" x 7/8"	4	25
32756	120	7" x 7/8"	4	25



HEAVY STRIPPING
OPERATION



X088 CLOTH DISCS



Description ■ Ideal for heavy operations in factories and workshops, to prepare and clean nonferrous metals to remove dirt or previously damaged or good paint, for treating surfaces and preparing for the application of epoxy coats.

Backing Fabric backing "X" weight cotton adhesive resin/resin.

Mineral Premium Aluminum Oxide.


Grit ANSI: 036 to 220.

Coating Open.

Shape DISCS

Ideal for METAL NON FERROUS METAL

Applications ORBITAL PNEUMATIC SANDER PSA ADHESIVE




X088 CLOTH DISCS

Part #	Grit	Available sizes	Holes	Kwik-Grip	PSA Pulltab	Inner Qty	Master case
32572	036	5"	0	-	■	50	250
32571	040	5"	0	-	■	50	250
32570	050	5"	0	-	■	50	250
32569	060	5"	0	-	■	50	250
32568	080	5"	0	-	■	50	250
32602	036	6"	0	-	■	50	250
32601	040	6"	0	-	■	50	250
32600	050	6"	0	-	■	50	250
32599	060	6"	0	-	■	50	250
32598	080	6"	0	-	■	50	250
32620	036	8"	0	-	■	50	250
32619	040	8"	0	-	■	50	250
32618	050	8"	0	-	■	50	250
32617	060	8"	0	-	■	50	250
32616	080	8"	0	-	■	50	250
32701	036	6"	0	■	-	50	250
32700	040	6"	0	■	-	50	250
32711	036	8"	0	■	-	50	250
32710	040	8"	0	■	-	50	250

Available in Kwik-Grip



R013 KWIK-GRIP CLOTH DISCS



- Description**
- For aggressive sanding of non-ferrous metals such as aluminum, copper, bronze brass, stainless steel, high-tempered carbon and Fiber-glass.
 - Ideal for heavy stripping and shaping filler.
 - Maximum performance due to its open structure and anti-clogging system.
 - Resistant and washable.

Backing	Heavy polyester-cotton fabric.
Mineral	Zirconia Alumina.
Grit	FEPA: P024, P036 to P120.
Coating	Open.

Shape	 DISCS			
Ideal for	 WOOD	 METAL	 NON FERROUS METAL	 LACQUERS AND PAINT

Applications	 KWIK GRIP®	 PSA ADHESIVE	 ORBITAL PNEUMATIC SANDER
---------------------	----------------	------------------	------------------------------

Part #	Grit	Available sizes	Holes	Inner Qty	Master case
24034	P036	5"	0	50	250
33734	P080	5"	0	50	250
33725	P036	6"	0	50	250
33727	P080	6"	0	50	250

Available in Kwik-Grip

GRIT
AVAILABILITY

P024 HEAVY GRINDING

P036

P040

P050

P060

P080

P100

P120 INTERMEDIATE GRINDING

R013 BODY FILES



- Description**
- For aggressive polishing non ferrous metals such as aluminum, copper, bronze and brass, stainless steels, and high and tempered carbon in the metalworking industry.
 - Ideal for heavy stripping, shaping filler and fiberglass.
 - Maximum performance due to its open structure and anti-clogging system.
 - Resistant and washable.

Backing	Heavy polyester-cotton fabric.
Mineral	Zirconia Alumina.
Grit	FEPA: P024, P036 to P120.
Coating	Open.

Shape	 BODY FILES
--------------	----------------

Ideal for	 METAL	 NON FERROUS METAL	 LACQUERS AND PAINT
	 AUTOMOTIVE	 PLASTIC	 WOOD

Applications	 KWIK GRIP®	 FILE BOARD	 PSA ADHESIVE	 DOESN'T CLOG
---------------------	----------------	----------------	------------------	------------------

Part #	Grit	Line	Available sizes	Inner Qty	Master case
30432	P036	R013	2 3/4" x 16 1/2" Kwik-Grip Body File	50	250
30431	P040	R013	2 3/4" x 16 1/2" Kwik-Grip Body File	50	250
30429	P050	R013	2 3/4" x 16 1/2" Kwik-Grip Body File	50	250
30428	P060	R013	2 3/4" x 16 1/2" Kwik-Grip Body File	50	250
30430	P080	R013	2 3/4" x 16 1/2" Kwik-Grip Body File	50	250
30427	P100	R013	2 3/4" x 16 1/2" Kwik-Grip Body File	50	250
30426	P120	R013	2 3/4" x 16 1/2" Kwik-Grip Body File	50	250
30412	P036	R013	2 3/4" x 17 1/2" PSA cloth	50	250
30411	P040	R013	2 3/4" x 17 1/2" PSA cloth	50	250
30410	P080	R013	2 3/4" x 17 1/2" PSA cloth	50	250

Available in Kwik-Grip



GRIT
AVAILABILITY

P036 HEAVY GRINDING

P040

P050

P060

P080

P100

P120 INTERMEDIATE GRINDING

PT87 SHEETS



- Description**
- Designed for cleaning and roughing of interior and exterior PVC materials and plastic pipes, used on couplers & elbows, prior to the application of adhesives in plumbing jobs.
 - Specially designed on a flexible premium cloth for contour sanding.
 - Excellent for dry and rough sanding of metal & wood surfaces. Can be used for heavy stock removal and finishing.
 - Typical applications are heavy burrs or grinding metal irregularities.
 - Also for applications on wood, metal, plastics and non ferrous metals.

Backing Flexible "J" and Medium flexibility "X" weight cotton.

Mineral Aluminum Oxide.


Grit ANSI: 036 to 120.

Coating Closed.

Shape  SHEETS

Ideal for  METAL  NON FERROUS METAL  WOOD  LACQUERS AND PAINT  PLASTIC

Applications  MANUAL SANDING  1/2, 1/3 OR 1/4 SHEET POWER SANDERS



Part #	Grit	Available sizes	Inner Qty	Master case
30212	036	9" x 11"	25	250
30213	050	9" x 11"	25	250
30214	060	9" x 11"	25	250
30215	080	9" x 11"	25	250
30216	100	9" x 11"	25	250
30217	120	9" x 11"	25	250

DR-601 HIGH PERFORMANCE STRIP & KLEEN



- Description**
- Effectively removes paint, rust and adhesives on metal surfaces.
 - Great durability and Superior performance.

Backing Nylon fiber.

Binder Phenol formaldehyde resin.


Abrasive Black Silicon Carbide.

Grit Extra Coarse, Coarse, Medium.

Shape  DISCS


Ideal for  METAL  STAINLESS STEEL

Applications  USE SAFETY EQUIPMENT  ANGLE GRINDER



Part #	Diameter	Inner Qty	Master case
76426	4 1/2"	10	100

L-92 STRIP & KLEEN



- Description**
- Silicon Carbide non woven fiber disc.
 - Open coat.
 - Ideal for obtaining quick cleaning of layers of paint and rust.
 - Ideal for heavy stripping and shaping filler.

Backing High resistance nylon fiber.

Mineral Silicon Carbide.

Grit Extra Coarse, Coarse, Medium.

Coating Open.

Shape



DISCS

Ideal for



METAL



NON FERROUS
METAL

Applications



STRAIGHT
GRINDER

Part #	Grit	Available sizes	Inner Qty	Master case
35811	EXTRA COARSE	2"	20	60
35812	EXTRA COARSE	3"	10	30
35813	EXTRA COARSE	4"	5	15



PHENOLIC COOLING DISCS

- Description**
- Fiberglass back up pads are recommended for intermediate grinding.
 - Helps reduce temperature by allowing air to flow.
 - Ideal for sanding and finishing operations with G-88 and G-18 Resin Fiber Discs, with electric or pneumatic sanders.

Shape



DISCS

Ideal for



METAL



NON FERROUS
METAL

Applications



USE SAFETY
EQUIPMENT



ANGLE
GRINDER



Part #	Available sizes	Single pack
35969	4 1/2" x 7/8"	1
35980	5" x 7/8"	1
35981	7" x 7/8"	1



QUICK CHANGE DISC HOLDERS



- Description**
- Quick Change System with 1", 1 1/2", 2" and 3" disc holder Type III (R).
 - For use in operations with L-92.
 - For 1/4" electric and pneumatic sanders.

Applications



Part #	Available sizes	Inner Qty	Master case
35902	1"	1	10
35897	1 1/2"	1	10
35898	2"	1	10
35899	3"	1	10

Quick Change / Plastic Flange

SANDING TOOLS



- Description**
- Plastic or wooden sanding blocks, light and moisture resistant.
 - For flat surfaces sanding.
 - Ideal for use with body files, continuous rolls & pre-cut strips.
 - Ergonomic design allows you to obtain uniform surfaces.

Applications



Part #	Available sizes	Single pack
35991	HAND FILE SANDER (GRIPIT) 2 3/4" x 15 3/4" ALUM/WOOD 1	1
35990	STANDARD HAND FILE SANDER (CLAMP) 2 3/4" x 15 3/4" ALUM/WOOD 1	1
-	2 5/8" x 5" PLASTIC/ FOAM	1
-	2 5/8" x 7 1/2" PLASTIC/ FOAM	1
-	2 5/8" x 15 3/8" PLASTIC/ FOAM	1

Available in Kwik-Grip

FIBER DISCS BACKING PAD



- Description**
- Back up pads for vulcanized fiber discs.
 - Ideal for weld blending.
 - For use in hard-to-reach and flat areas.

Applications



Part #	Available sizes	Master case
-	5" x 5/8" MED RUBBER KEYLESS	1
-	5" x 5/8" MED RUBBER KEYLESS	1






Surface Preparation

02

DISCS FOR SURFACE PREPARATION



E080 KWIK-GRIP DISCS



Description

- Ideal for intermediate primer, sealer and paint finishes.
- Use with orbital sanders on, sheet metal, fiberglass, & plastic.

Backing

"E" weight paper.

Mineral

Premium Aluminum Oxide.

Grit

FEPA: P080 to P800 except P360.

Coating

Open.

Shape

DISCS

Ideal for

LACQUERS AND PAINT

AUTOMOTIVE

WOOD

Applications

ORBITAL PNEUMATIC SANDER

STEARATE LUBRICANT

DRY SANDING

PSA ADHESIVE

DISCS MANUAL SANDING

DOESN'T CLOG

KWIK GRIP®

Part #	Grit	Available sizes	Holes	Inner Qty	Master case
32699	P036	6"	0	50	250
32698	P040	6"	0	50	250
32697	P060	6"	0	50	250
32696	P080	6"	0	50	250
32741	P036	6"	6	50	250
32740	P040	6"	6	50	250
32739	P060	6"	6	50	250
32738	P080	6"	6	50	250

Available in Kwik-Grip

A080 GOLD PSA DISCS



FANDELI's A080 Gold line, have become the number one option for sanding bondo, primer finishes, basecoat and clearcoat finishes, acrylic lacquers and dry feather edging.

FANDELI's Gold Product's coating is excellent for reducing operating costs where anti-loading properties are required. From stripping to surface preparation, we offer an extensive line of options in paper to deliver the performance required in an efficient body shop setting.

- Benefits
- Special Stearate coating to minimize loading.
 - From feather edging to surface preparation to finishing.
 - Designed for dry sanding applications.

- Description
- Pressure Sensitive Adhesive backing, easy to place and remove from the backing pad.
 - Resists heat build-up and loading.
 - Full resin bonding on quality latex paper.

Backing "A" weight paper.

Mineral Premium Aluminum Oxide.

Grit FEPA: P080 to P800 except P360.

Coating Open.

Shape DISCS

Ideal for

LACQUERS AND PAINT

AUTOMOTIVE

WOOD

Applications

ORBITAL PNEUMATIC SANDER

STEARATE LUBRICANT



DRY SANDING

PSA ADHESIVE


DISCS MANUAL SANDING

DOESN'T CLOG

KWIK GRIP®



A080 GOLD PSA DISCS



Part #	Description	Available sizes	Holes	Inner Qty	Master case
32555	A080 GOLD DISC P080	5"	0	50	500
32554	A080 GOLD DISC P100	5"	0	50	500
32553	A080 GOLD DISC P120	5"	0	50	500
32552	A080 GOLD DISC P150	5"	0	50	500
32551	A080 GOLD DISC P180	5"	0	50	500
32550	A080 GOLD DISC P220	5"	0	50	500
32549	A080 GOLD DISC P240	5"	0	50	500
32547	A080 GOLD DISC P320	5"	0	50	500
32546	A080 GOLD DISC P400	5"	0	50	500
32545	A080 GOLD DISC P600	5"	0	50	500
32544	A080 GOLD DISC P800	5"	0	50	500
32585	A080 GOLD DISC P080	6"	0	50	500
32584	A080 GOLD DISC P100	6"	0	50	500
32583	A080 GOLD DISC P120	6"	0	50	500
32582	A080 GOLD DISC P150	6"	0	50	500
32581	A080 GOLD DISC P180	6"	0	50	500
32580	A080 GOLD DISC P220	6"	0	50	500
32579	A080 GOLD DISC P240	6"	0	50	500
32578	A080 GOLD DISC P280	6"	0	50	500
32577	A080 GOLD DISC P320	6"	0	50	500
32576	A080 GOLD DISC P400	6"	0	50	500
32575	A080 GOLD DISC P600	6"	0	50	500
32574	A080 GOLD DISC P800	6"	0	50	500
32897	A080 GOLD DISC P120	8"	0	50	250
32895	A080 GOLD DISC P180	8"	0	50	250
32891	A080 GOLD DISC P320	8"	0	50	250
32633	A080 GOLD DISC P080	5"	5	50	500
32632	A080 GOLD DISC P100	5"	5	50	500
32631	A080 GOLD DISC P120	5"	5	50	500
32630	A080 GOLD DISC P150	5"	5	50	500
32629	A080 GOLD DISC P180	5"	5	50	500
32651	A080 GOLD DISC P080	6"	6	50	500
32647	A080 GOLD DISC P180	6"	6	50	500
32646	A080 GOLD DISC P220	6"	6	50	500
32643	A080 GOLD DISC P320	6"	6	50	500
32642	A080 GOLD DISC P400	6"	6	50	500

Available in Kwik-Grip

A080 PSA DISC ROLLS



- Description**
- Boxes designed for easy disc dispensing and ready to fit in our FANDELI two roll dispensers.
 - PSA backing (Pressure Sensitive Adhesive), resists wrinkling and tearing.
 - With a longer and wider core to prevent harm to edges and avoid curling at the end of the roll.

Backing "A" weight paper.

Mineral Premium Aluminum Oxide.

Grit FEPA: P080 to P800 except P360.

Coating Open.

Shape



DISCS

Ideal for



LACQUERS
AND PAINT



WOOD



AUTOMOTIVE

Applications



ORBITAL
PNEUMATIC
SANDER



STEARATE
LUBRICANT



DRY SANDING



PSA
ADHESIVE




DISCS MANUAL
SANDING




DOESN'T CLOG

KWIK GRIP®



A080 PSA DISC ROLLS



Part #	Description	Available sizes	Inner Qty	Master case
32511	A080 GOLD DISC P080	5"	100	100
32510	A080 GOLD DISC P100	5"	100	100
32509	A080 GOLD DISC P120	5"	100	100
32508	A080 GOLD DISC P150	5"	100	100
32507	A080 GOLD DISC P180	5"	100	100
32506	A080 GOLD DISC P220	5"	100	100
32504	A080 GOLD DISC P280	5"	100	100
32503	A080 GOLD DISC P320	5"	100	100
32502	A080 GOLD DISC P400	5"	100	100
32501	A080 GOLD DISC P600	5"	100	100
32523	A080 GOLD DISC P080	6"	100	100
32522	A080 GOLD DISC P100	6"	100	100
32521	A080 GOLD DISC P120	6"	100	100
32520	A080 GOLD DISC P150	6"	100	100
32519	A080 GOLD DISC P180	6"	100	100
32518	A080 GOLD DISC P220	6"	100	100
32517	A080 GOLD DISC P240	6"	100	100
32515	A080 GOLD DISC P320	6"	100	100
32514	A080 GOLD DISC P400	6"	100	100
32513	A080 GOLD DISC P600	6"	100	100
32512	A080 GOLD DISC P800	6"	100	100

Available in Kwik-Grip



A080 KWIK-GRIP DISCS

- Description**
- Convenient Kwik Grip system for easy attachment and durability.
 - Resists heat build-up and loading.
 - Vacuum discs designed with a standard hole pattern for dust-free sanding.
 - Full resin bonding on quality latex paper.

Backing "A" weight paper.

Mineral Premium Aluminum Oxide.

Grit FEPA: P080 to P800 except P360.

Coating Open.

Shape



Ideal for




Applications



KWIK GRIP

Part #	Description	Available sizes	Holes	Inner Qty	Master case
32675	A080 GOLD DISC P080	5"	0	100	400
32674	A080 GOLD DISC P100	5"	0	100	400
32673	A080 GOLD DISC P120	5"	0	100	400
32672	A080 GOLD DISC P150	5"	0	100	400
32671	A080 GOLD DISC P180	5"	0	100	400
32670	A080 GOLD DISC P220	5"	0	100	400
32667	A080 GOLD DISC P320	5"	0	100	400
32666	A080 GOLD DISC P400	5"	0	100	400
32665	A080 GOLD DISC P600	5"	0	100	400



Available in Kwik-Grip



**GRIT
AVAILABILITY**

- P080 HEAVY GRINDING
- P100
- P120
- P150
- P180
- P220
- P240 INTERMEDIATE GRINDING
- P280
- P320
- P400
- P500
- P600
- P800 FINISHING

A080 KWIK-GRIP DISCS



Part #	Description	Available sizes	Holes	Inner Qty	Master case
32693	A080 GOLD DISC P080	6"	0	100	400
32691	A080 GOLD DISC P120	6"	0	100	400
32690	A080 GOLD DISC P150	6"	0	100	400
32689	A080 GOLD DISC P180	6"	0	100	400
32688	A080 GOLD DISC P220	6"	0	100	400
32687	A080 GOLD DISC P240	6"	0	100	400
32685	A080 GOLD DISC P320	6"	0	100	400
32684	A080 GOLD DISC P400	6"	0	100	400
32683	A080 GOLD DISC P600	6"	0	100	400
32682	A080 GOLD DISC P800	6"	0	100	400
32717	A080 GOLD DISC P080	5"	5	100	400
32716	A080 GOLD DISC P100	5"	5	100	400
32715	A080 GOLD DISC P120	5"	5	100	400
32714	A080 GOLD DISC P150	5"	5	100	400
32713	A080 GOLD DISC P180	5"	5	100	400
32712	A080 GOLD DISC P220	5"	5	100	400
32709	A080 GOLD DISC P320	5"	5	100	400
32708	A080 GOLD DISC P400	5"	5	100	400
32707	A080 GOLD DISC P600	5"	5	100	400
32735	A080 GOLD DISC P080	6"	6	100	400
32732	A080 GOLD DISC P150	6"	6	100	400
32731	A080 GOLD DISC P180	6"	6	100	400
32730	A080 GOLD DISC P220	6"	6	100	400
32729	A080 GOLD DISC P240	6"	6	100	400
32727	A080 GOLD DISC P320	6"	6	100	400
32726	A080 GOLD DISC P400	6"	6	100	400

Available in Kwik-Grip

B080 SPEEDKUT® DISCS



- Description**
- Anti-clogging technology with fused Stearate, that provides an excellent finish to level the surface contour in automotive repainting processes.
 - High-cutting speed and superior performance.
 - Dry and semi-dry sanding.

Backing	Reinforced paper.
Mineral	Premium Aluminum Oxide.
Grit	FEPA: P080 to P800 except P360 and P500.
Coating	Open.

Shape	 DISCS
--------------	--

Ideal for	 LACQUERS AND PAINT  WOOD  AUTOMOTIVE
------------------	--

Applications	  DISCS MANUAL SANDING  ORBITAL PNEUMATIC SANDER
	 STEARATE LUBRICANT  DOESN'T CLOG  PSA ADHESIVE  DRY SANDING

Part #	Description	Available size	Holes	Inner Qty	Master case
34334	P080	6"	0	100	400
34335	P100	6"	0	100	400
34336	P120	6"	0	100	400
34337	P150	6"	0	100	400
34338	P180	6"	0	100	400
34339	P220	6"	0	100	400
34340	P240	6"	0	100	400
34341	P280	6"	0	100	400
34342	P320	6"	0	100	400
34344	P400	6"	0	100	400
34345	P600	6"	0	100	400
34346	P800	6"	0	100	400
34451	P080	6"	6	100	400
34450	P100	6"	6	100	400
34449	P120	6"	6	100	400
34448	P150	6"	6	100	400
34447	P180	6"	6	100	400
34446	P220	6"	6	100	400
34445	P240	6"	6	100	400
34452	P280	6"	6	100	400
34444	P320	6"	6	100	400
34443	P400	6"	6	100	400
34442	P600	6"	6	100	400
34441	P800	6"	6	100	400

Available in Kwik-Grip



GRIT AVAILABILITY	P080	HEAVY GRINDING
	P100	
	P120	
	P150	
	P180	
	P220	
	P240	INTERMEDIATE GRINDING
	P280	
	P320	
	P400	
	P600	
	P800	FINISHING

B080 SPEEDKUT® BODY FILES

**NEW
PRODUCT**



- Description**
- New improved design offers longer life and faster cutting speeds.
 - Open structure produces finer finishes and maintains a clean cutting action.
 - Sanding work that requires smooth finishes.
 - Improved fused stearate lubrication prevents clogging.
 - Reinforced paper backing now more resistant.
 - No water required, can be used dry increasing productivity.
 - Can be used in wet and semi-wet conditions without delaminating unlike others.
 - Offers excellent results on primer, paint, wood, varnish and lacquer.
 - Excellent for work on plastic.

Backing	Reinforced paper.
Mineral	Premium Aluminum Oxide.
Grit	FEPA: P080 to P800 except P360 and P500.
Coating	Open.

Shape



BODY FILES

Ideal for



LACQUERS
AND PAINT




WOOD



AUTOMOTIVE

Applications



FILE BOARD



PSA ADHESIVE



DRY SANDING



STEARATE
LUBRICANT



DOESN'T CLOG

Part #	Grit	Size	Inner Qty	Master case
34370	P080	2 3/4 x 16 1/2"	50	250
34371	P100	2 3/4 x 16 1/2"	50	250
34372	P120	2 3/4 x 16 1/2"	50	250
34373	P150	2 3/4 x 16 1/2"	50	250
34374	P180	2 3/4 x 16 1/2"	50	250
34375	P220	2 3/4 x 16 1/2"	50	250
34376	P240	2 3/4 x 16 1/2"	50	250
34377	P320	2 3/4 x 16 1/2"	50	250
34378	P400	2 3/4 x 16 1/2"	50	250

Available in Kwik-Grip and in continuous rolls

**GRIT
AVAILABILITY**

P080 HEAVY GRINDING
P100
P120
P150
P180
P220 INTERMEDIATE GRINDING
P240
P280
P320
P400
P600
P800 FINISHING

LC81 MESH DISCS

**NEW
PRODUCT**



- Description**
- Designed for sanding materials that due to their high generation of dust require a coating system with greater drainage.

Backing	Nylon mesh.
Mineral	Resin / resin.
Abrasive	Semifriable Aluminum Oxide.
Presentation	Kwik-Grip.
Grit	FEPA: P040 to P3000.
Coating	Closed.

Shape



DISCS

Ideal for



LACQUERS
AND PAINT



FIBERGLASS



PLASTIC

Applications



ORBITAL
PNEUMATIC
SANDER



DISCS
MANUAL
SANDING


Part #	Grit	Available size	Inner Qty	Master case
77000	P080	6" MESH KWIK-GRIP	50	100
77001	P100	6" MESH KWIK-GRIP	50	100
77002	P120	6" MESH KWIK-GRIP	50	100
77003	P180	6" MESH KWIK-GRIP	50	100
77004	P220	6" MESH KWIK-GRIP	50	100
77005	P240	6" MESH KWIK-GRIP	50	100
77006	P320	6" MESH KWIK-GRIP	50	100
77007	P400	6" MESH KWIK-GRIP	50	100
77008	P600	6" MESH KWIK-GRIP	50	100

Available in Kwik-Grip

**GRIT
AVAILABILITY**

P040 HEAVY GRINDING
P060
P080
P100
P120
P150
P180 INTERMEDIATE GRINDING
P220
P240
P280
P320
P360
P400
P500 FINISHING
P600
P800
P1000
P1200
P1500
P2000
P2500
P3000 FINISHING

CC26 CERAMIC DISCS



GRIT AVAILABILITY

P040 HEAVY GRINDING
P060
P080
P100
P120
P150
P180 INTERMEDIATE GRINDING
P220
P240
P280
P320
P360
P400
P500 FINISHING
P600
P800
P1000
P1200
P1500
P2000
P2500
P3000 FINISHING

- Description**
- Ceramic mixed with Aluminum Oxide for a sanding of greater efficiency and long useful life due to its ceramic grain.
 - Reinforced paper backing for high demand work.

Backing	"C" weight paper.
Mineral	Resin / resin.
Abrasive	Ceramic mixed with Aluminum Oxide.
Presentation	Kwik-Grip.
Grit	FEPA: P040 to P3000.
Coating	Closed.

Shape

DISCS

Ideal for

LACQUERS AND PAINT FIBERGLASS PLASTIC

Applications

ORBITAL PNEUMATIC SANDER DISCS MANUAL SANDING DRY SANDING

Part #	Grit	Available size	Inner Qty	Master case
77009	P060	6" CERAMIC PAPER KWIK-GRIP	50	100
77010	P080	6" CERAMIC PAPER KWIK-GRIP	50	100
77011	P100	6" CERAMIC PAPER KWIK-GRIP	50	100
77012	P120	6" CERAMIC PAPER KWIK-GRIP	50	100
77013	P150	6" CERAMIC PAPER KWIK-GRIP	50	100
77014	P180	6" CERAMIC PAPER KWIK-GRIP	50	100
77015	P220	6" CERAMIC PAPER KWIK-GRIP	50	100
77016	P240	6" CERAMIC PAPER KWIK-GRIP	50	100
77017	P280	6" CERAMIC PAPER KWIK-GRIP	50	100
77018	P320	6" CERAMIC PAPER KWIK-GRIP	50	100
77019	P400	6" CERAMIC PAPER KWIK-GRIP	50	100
77020	P500	6" CERAMIC PAPER KWIK-GRIP	50	100
77021	P600	6" CERAMIC PAPER KWIK-GRIP	50	100

Available in Kwik-Grip

PC26 FILM DISCS



- Description**
- Offering greater efficiency and a long useful life due to its unique Ceramic grain.
 - Film backing allows a smooth and flexible sanding, with greater edge resistance.

Backing	Film.
Mineral	Resin / resin.
Abrasive	Ceramic mixed with Aluminum Oxide.
Presentation	Kwik-Grip.
Grit	FEPA: P040 to P3000.
Coating	Closed.

Shape

DISCS

Ideal for

LACQUERS AND PAINT FIBERGLASS PLASTIC

Applications

ORBITAL PNEUMATIC SANDER DISCS MANUAL SANDING

Part #	Grit	Available size	Inner Qty	Master case
77022	P060	6" FILM KWIK-GRIP	50	100
77023	P080	6" FILM KWIK-GRIP	50	100
77024	P100	6" FILM KWIK-GRIP	50	100
77025	P120	6" FILM KWIK-GRIP	50	100
77026	P150	6" FILM KWIK-GRIP	50	100
77027	P180	6" FILM KWIK-GRIP	50	100
77028	P220	6" FILM KWIK-GRIP	50	100
77029	P240	6" FILM KWIK-GRIP	50	100
77030	P280	6" FILM KWIK-GRIP	50	100
77031	P320	6" FILM KWIK-GRIP	50	100
77032	P400	6" FILM KWIK-GRIP	50	100
77033	P500	6" FILM KWIK-GRIP	50	100
77034	P600	6" FILM KWIK-GRIP	50	100
77035	P800	6" FILM KWIK-GRIP	50	100
77036	P1000	6" FILM KWIK-GRIP	50	100
77037	P1200	6" FILM KWIK-GRIP	50	100
77038	P1500	6" FILM KWIK-GRIP	50	100
77039	P2000	6" FILM KWIK-GRIP	50	100

Available in Kwik-Grip



GRIT AVAILABILITY


P040 HEAVY GRINDING
P060
P080
P100
P120
P150
P180 INTERMEDIATE GRINDING
P220
P240
P280
P320
P360
P400
P500 FINISHING
P600
P800
P1000
P1200
P1500
P2000
P2500
P3000 FINISHING

A080 GOLD SHEETS




- Description** ■ Abrasive Sheets available in 9" x 11".
- Ideal for hand applications and portable sanders.

Backing	"A" weight paper.
Mineral	Premium Aluminum Oxide.
Grit	FEPA: P080 to P800 except P360.
Coating	Open.




Part #	Description	Available size	Inner Qty	Master case
30047	A080 GOLD SHEET P080 FANDELI	9" x 11"	50	250
30046	A080 GOLD SHEET P100 FANDELI	9" x 11"	100	500
30045	A080 GOLD SHEET P120 FANDELI	9" x 11"	100	500
30044	A080 GOLD SHEET P150 FANDELI	9" x 11"	100	500
30043	A080 GOLD SHEET P180 FANDELI	9" x 11"	100	500
30042	A080 GOLD SHEET P220 FANDELI	9" x 11"	100	500
30041	A080 GOLD SHEET P240 FANDELI	9" x 11"	100	500
30039	A080 GOLD SHEET P320 FANDELI	9" x 11"	100	500
30038	A080 GOLD SHEET P400 FANDELI	9" x 11"	100	500
30037	A080 GOLD SHEET P600 FANDELI	9" x 11"	100	500




B080 SPEEDKUT® SHEETS

- Description** ■ Professional sandpaper Speedkut® series.
- Provides an excellent results on filler preparation.
- High cutting power.
- For dry and semi dry sanding.

Backing	Reinforced paper.
Mineral	Premium Aluminum Oxide.
Grit	FEPA: P080 to P800 except P360 and P500.
Coating	Open.



Part #	Description	Available size	Inner Qty	Master case
34235	P080	9" x 11"	50	500
34236	P100	9" x 11"	50	500
34237	P120	9" x 11"	50	500
34238	P150	9" x 11"	50	500
34239	P180	9" x 11"	50	500
34240	P220	9" x 11"	50	500
34241	P240	9" x 11"	50	500
34242	P280	9" x 11"	50	500
34243	P320	9" x 11"	50	500
34244	P400	9" x 11"	50	500
34245	P600	9" x 11"	50	500
34246	P800	9" x 11"	50	500



A-99 / C-99 WATERPROOF SHEETS



- Description**
- Entire product line of durable and flexible waterproof paper to increase productivity.
 - Premium latex paper backing (plastic polymer impregnated paper) which resists water, tearing and wrinkling during sanding.
 - Superior backing resists breaking and cracking.

Backing Heavy-duty ("A" weight paper with waterproof anti-slip properties).

Mineral Silicon Carbide.

Grit ANSI: 220 to 600.

Coating Closed.

Shape



SHEETS

Ideal for



NON FERROUS
METAL



LACQUERS
AND PAINT



AUTOMOTIVE



PLASTIC



GLASS


Applications



MANUAL SANDING




1/2, 1/3 OR 1/4 SHEET POWER SANDERS



WET SANDING

Part #	Description	Available size	Inner Qty	Master case
30015	060	9" x 11"	50	500
30014	080	9" x 11"	50	500
30013	100	9" x 11"	50	500
30012	120	9" x 11"	50	500
30011	150	9" x 11"	50	500
30010	180	9" x 11"	50	500
30009	220	9" x 11"	50	500
30008	240	9" x 11"	50	500
30007	280	9" x 11"	50	500
30006	320	9" x 11"	50	500
30005	360	9" x 11"	50	500
30004	400	9" x 11"	50	500
30003	500	9" x 11"	50	500
30002	600	9" x 11"	50	500



NON-WOVEN HAND PADS



- Description**
- Ideal for sanding primers and preparation plastic surfaces.
 - Great flexibility to reach edges or irregular surfaces.

Material Maroon: Nylon fiber.
Gray: Nylon fiber coated with abrasive grains.
White: Polyester fiber.

Mineral Maroon: Aluminum Oxide.
Gray: Silicon Carbide.
White: Non-abrasive product.

Grit Maroon: Fine and Extra Fine.
Gray: Ultra Fine.
White: N/A.

Coating Open.

Shape



PAD

Ideal for



LACQUERS
AND PAINT



NON FERROUS
METAL



METAL



PLASTIC



WOOD



GLASS

Applications



MANUAL SANDING



DRY SANDING




DOESN'T CLOG



WET SANDING

Part #	Description	Inner Qty	Master case
35840	MAROON SANDING PAD GENERAL PURPOSE 6" x 9"	20	20
35841	MAROON SANDING PAD HIGH PERFORMANCE 6" x 9"	20	20
35842	GRAY SANDING PAD ULTRA FINE 6" x 9"	20	20
35839	GRAY SANDING PAD HIGH PERFORMANCE 6" x 9"	20	20
35845	WHITE SANDING PAD MICRO FINE 6" x 9"	20	20



ULTRAFLEXIBLE SANDING SPONGE



- Description**
- Aluminum Oxide flexible detail sanding pad.
 - Sanding metalwork, clearcoat and blending Paint.

Backing Flexible abrasive sponge.

Mineral Aluminum Oxide.

Grit FEPA: P060, P100, P180, P280, P400, P600.

Coating Closed.

Shape



Ideal for



Applications



Part #	Description	Available size	Inner Qty	Master case
35450	P060	5 1/2" x 4 1/2" x 1/4"	40	10
35451	P1000	5 1/2" x 4 1/2" x 1/4"	40	10
35452	P180	5 1/2" x 4 1/2" x 1/4"	40	10
35453	P280	5 1/2" x 4 1/2" x 1/4"	40	10
35454	P400	5 1/2" x 4 1/2" x 1/4"	40	10
35455	P600	5 1/2" x 4 1/2" x 1/4"	40	10

**GRIT
AVAILABILITY**

P060 HEAVY
GRINDING

P100

P180 INTERMEDIATE
GRINDING

P280

P400

P600 FINISHING

INTERFACE SANDING PAD




- Description**
- Foam interface pad for discs.
 - Kwik-Grip attachment system.
 - Use it for working over irregular surfaces.

Shape



Applications



Part #	Description	Available sizes	Master case
35875	FOAM RUB / KWICK GRIP W /HOLES / APS05H	T1 5"	1
35879	FOAM RUB / KWICK GRIP W /HOLES / APS06H	T1 4"	1
35874	FOAM RUB / KWICK GRIP W /HOLES / APS05	T2 5"	1
35877	FOAM RUB / KWICK GRIP W /HOLES / APS06	T2 6"	1

Available in Kwik-Grip



HAND PAD



- Description**
- Foam backup pad for discs with Kwik-Grip fastener system.
 - Suitable for use as a hand-pad with PSA discs.
 - Distributes the sanding pressure and provides a uniform finish.

Shape



Applications



Part #	Description
35854	5" BACK HAND POLYSTYRENE FOAM PSA
35873	5" BACK HAND POLYSTYRENE FOAM Kwik-Grip
35876	6" BACK HAND POLYSTYRENE FOAM Kwik-Grip

Available in Kwik-Grip



KWIK-GRIP INTERFACE PAD



- Description**
- Foam interface pad for Surface conditioning operations.
 - For use in orbital sanders.
 - Multi-hole and solid back up pads.

Shape



DISCS

Applications



ORBITAL
PNEUMATIC
SANDER

Part #	Description	Available sizes
35690	BACK UP DISC / HALF-MOON	5" POLY. KWIK-GRIP/W/O/HOLES
35871	BACK UP DISC / HALF-MOON	6" KWIK-GRIP/W/O/HOLES

Available in Kwik-Grip



KWIK-GRIP / PSA BACK UP PAD

- Description**
- For sanding and finishing tasks using Kwik-grip backed discs.
 - For use in 5" and 6" pneumatic rotary-orbital machines.
 - Ideal for use with Kwik-Grip backing discs in surface preparation operations.
 - Useful for use with PSA and Kwik-Grip backing discs for sanding and finishing.

Shape



DISCS

Applications



PSA



ORBITAL
PNEUMATIC
SANDER

Part #	Description	Available sizes	Single pack
35870	BACK UP DISC KWIK-GRIP	5" KWIK-GRIP / 0 HOLES	1
35880	BACK UP DISC KWIK-GRIP	5" KWIK-GRIP / 5 HOLES VACUUM	1
35881	BACK UP DISC KWIK-GRIP	6" KWIK-GRIP / 6 HOLES VACUUM	1
35850	BACK UP DISC PSA	5" PSA / 0 HOLES	1
35860	BACK UP DISC PSA	5" PSA / 5 HOLES VACUUM	1
35861	BACK UP DISC PSA	6" PSA / 6 HOLES VACUUM	1



PROFESSIONAL MASKING TAPE



- Description**
- Resists temperatures of up to 266 °F during 60 minutes.
 - Easily adapts to the surface shape.
 - Puncture resistance due to its flexibility.
 - Does not leave residue.

Backing Crepe paper.

Shape



ROLL

Ideal for



LACQUERS
AND PAINT

Applications



MANUAL

Part #	Available size	Inner Qty	Master case
72832	12 MM x 50 M / 1/2"	1	92
72833	18 MM x 50 M / 3/4"	1	64
72843	48 MM x 50 M / 2"	1	24





Finishing Solutions

03

LE88 SUPREME FOAM



- Description**
- Premium microfine grit foam pad.
 - For sanding clearcoats, enamels, and lacquers.
 - Excellent finish while reducing polishing operations.

Backing Laminated fabric with flexible sponge.

Mineral Premium Micronized Aluminum Oxide.

Grit FEPA: P800, P1000, P1500, P2000, P3000.

Coating Open.

Shape



DISCS

Ideal for



LACQUERS
AND PAINT

Applications



ORBITAL
PNEUMATIC
SANDER




DISCS
MANUAL
SANDING



DRY SANDING



WET SANDING



Part #	Grit	Description	Inner Qty	Master case
35200	800	6" x 0 Kwik-Grip Disc	10	20
35201	1000	6" x 0 Kwik-Grip Disc	10	20
35202	1500	6" x 0 Kwik-Grip Disc	10	20
35203	2000	6" x 0 Kwik-Grip Disc	10	20
35204	3000	6" x 0 Kwik-Grip Disc	10	20

Available in Kwik-Grip

WOOL PAD



Description ■ The double-sided wool pad removes sanding marks with microfine grits.

Ideal for



LACQUERS
AND PAINT

Applications



ORBITAL
PNEUMATIC
SANDER

Part #	Available size	Inner Qty	Master case
35670	0.203 mm / 8" 100% WOOL	1	5



FOAM APPLICATOR



Description ■ Polishing sponge provides final shine to the surface after polishing with a wool pad.

Ideal for



LACQUERS
AND PAINT

Applications



ORBITAL
PNEUMATIC
SANDER



Part #	Available size	Inner Qty	Master case
35672	0.191 mm / 7 1/2"	1	6

Available in Kwik-Grip



B-99 PLUS MICROFINE SHEETS



- Description**
- Improved formula for micro-finishing sanding applications ideally used for lacquers, paint correction of metal, plastic, fiberglass, and composites.
 - More flexible, tear resistant, waterproof backing.
 - Ideal for Surface finishes in ultra-fine grit.
 - Provides long life and fast cutting capability.

Backing	"B" weight yellow waterproof paper.
Mineral	Silicon Carbide.
Grit	JIS: 1000 to 2500.
Coating	Closed.

Shape



SHEETS

Ideal for



LACQUERS
AND PAINT



NON FERROUS
METAL

Applications



MANUAL SANDING



1/2, 1/3 OR 1/4 SHEET POWER SANDERS



WET SANDING

9" x 11" SHEETS

Part #	Grit	Available size	Inner Qty	Master case
30183	B-99 PLUS 1000 GRIT	9" x 11"	50	500
30184	B-99 PLUS 1200 GRIT	9" x 11"	50	500
30185	B-99 PLUS 1500 GRIT	9" x 11"	50	500
30186	B-99 PLUS 2000 GRIT	9" x 11"	50	500
30187	B-99 PLUS 2500 GRIT	9" x 11"	50	500

1/2 SHEETS

Part #	Grit	Available size	Inner Qty	Master case
30101	B-99 PLUS 1000 GRIT	5 1/2" x 9"	50	250
30102	B-99 PLUS 1200 GRIT	5 1/2" x 9"	50	250
30103	B-99 PLUS 1500 GRIT	5 1/2" x 9"	50	250
30104	B-99 PLUS 2000 GRIT	5 1/2" x 9"	50	250
30105	B-99 PLUS 2500 GRIT	5 1/2" x 9"	50	250

**GRIT
AVAILABILITY**

P1000

P2500

P1500

P2000

P2500 MICRO FINISHING

Area	Sub-Area	Automotive Reifinish Processes	Operation	Grits
BODYWORK	SURFACE PREPARATION		Cleaning and degreasing	
			Sheet metal repair	
			Body repair	
			Paint removal	P080 – P120
			Sheet metal sanding	
			Cleaning and degreasing	
			Paint preparation	
			Body filler	P080 – P180
			Putty	P180 – P320
PAINT			Masking process	
			Cleaning and degreasing	
			Primer	
			Monolayer	P240 – P400
			Bilayer / Trilayer	P500 – P600
			Silver / Golden	+ P800
			Cleaning and degreasing	
			Paint finishing	
			Paint	
			Transparent coating	
			Matting	P320 - P1000
			Defects correction	P1200 – P2000
			Pre-polishing	P2500 – P3000
			Polishing	
			Finishing	
			FULL REPAIR	
			STANDARD REPAIR	
			NEW PART CHANGE	



FANDELI[®]



 **AUTOMOTIVE
REFINISHING**

EVERY GRADE IS **PROFESSIONAL GRADE**





FANDELI International Corporation

1812 Brittmoore Rd. Suite 218

Houston, Texas. 77043

Tel. (713) 973 8993

Fax. (713) 973 8997

(800) 346.9913

customerservice@fandeli.com

www.fandeli.com

01/21

SHEETS & DISCS • BODY FILES • NON WOVEN • ACCESORIES